

Document comparison done by DeltaView on Monday, December 06, 2004 5:18:15 PM

Input:	
Document 1	interwovenSite://NYDMS01/NY01/880641/1
Document 2	interwovenSite://NYDMS01/NY01/888181/1
Rendering set	Kenyon Rendering Set

Legend:	
<u>Insertion</u>	
Deletion	
Moved from	
<u>Moved to</u>	
Style change	
Format change	
Moved deletion	
Inserted cell	
Deleted cell	
Moved cell	
Split/Merged cell	
Padding cell	

Redline Summary:		
No.	Change	Text
1-2	Change	"NY01 880641 v1" changed to "NY01 888181 v1"
3-4	Change	"NY01 880641 v1" changed to "NY01 888181 v1"
5-6	Change	"NY01 880641 v1" changed to "NY01 888181 v1"
7	Change	"The present" changed to "Field Of The Invention The present"
8	Change	"Coupler plugs of the...type are usually" changed to "Coupler plugs are usually"
9	Deletion	Disadvantages of the Related Art
10-11	Change	"Object of the Invention" changed to "Summary Of The Invention"
12-13	Change	"It is the object of the" changed to "It is an object of the"
14	Deletion	Achievement of the Object
15	Deletion	Summary of the Invention
16	Deletion	Further advantageous...and the claims.

17	Deletion	Drawing
18	Deletion	The figures show:
19	Insertion	Brief Description Of The Drawings
20-21	Change	"Figure 1 A perspective" changed to "Figure 1 shows a perspective"
22-23	Change	"present invention;" changed to "present invention."
24-25	Change	"Figure 2 A perspective" changed to "Figure 2 shows a perspective"
26-27	Change	"exploded view;" changed to "exploded view."
28-29	Change	"Figure 3 A longitudinal" changed to "Figure 3 shows a longitudinal"
30-31	Change	"according to Figure 2;" changed to "according to Figure 2."
32-33	Change	"Figure 4 A cross section" changed to "Figure 4 shows a cross section"
34-35	Change	"according to Figure 2;" changed to "according to Figure 2."
36-37	Change	"Figure 5 Another cross section" changed to "Figure 5 shows another cross section"
38-39	Change	"pre-locking position;" changed to "pre-locking position."
40-41	Change	"Figure 6 Another cross section" changed to "Figure 6 shows another cross section"
42-43	Change	"final position;" changed to "final position."
44-45	Change	"Figure 7 A longitudinal" changed to "Figure 7 shows a longitudinal"
46-47	Change	"flat contact;" changed to "flat contact."
48-49	Change	"Figure 8 A part-section" changed to "Figure 8 shows a part-section"
50-51	Change	"pre-locking position;" changed to "pre-locking position."
52-53	Change	"Figure 9 A part-section" changed to "Figure 9 shows a part-section"
54	Change	"Description" changed to "Detailed Description"
55	Deletion	Description of an Exemplary Embodiment
56-57	Change	"NY01 880641 v1" changed to "NY01 888181 v1"

58	Deletion	What Is Claimed Is:
59	Deletion	1. A coupler plug, in...element, as well as
60	Deletion	- electrical components,...and fixed in place; and
61	Deletion	- a balancing element for...the coupler plug,
62	Deletion	- a secondary locking...inserted in the housing,
63	Deletion	wherein, in addition to...of a locking hook (4).
64	Deletion	2. The coupler plug as recited in Claim 1,
65	Deletion	wherein the locking hook...perpendicular manner.
66	Deletion	3. The coupler plug as recited in Claim 1 or 2,
67	Deletion	wherein the locking plate...an integral component.
68	Change	"NY01 880641 v1 8" changed to "NY01 880641 v1"
69	Insertion	Abstract Of The Disclosure
70-71	Change	"The present invention relates to a coupler plug," changed to "A coupler plug,"
72-73	Change	"The present invention is...in that, in addition to" changed to "In addition to"
74	Change	"plug-connectors (7), flat contacts" changed to "plug-connectors, flat contacts"
75	Change	"flat contacts (8) are provided" changed to "flat contacts are provided"
76	Change	"plug housing (6), which are" changed to "plug housing, which are"
77	Change	"locking element (1), the secondary" changed to "locking element, the secondary"
78	Change	"locking element (1) having, on a" changed to "locking element having, on a"
79	Change	"receiving device (3) for the flat" changed to "receiving device for the flat"
80	Change	"plug-connectors (7) in the form" changed to "plug-connectors in the form"
81	Change	"locking plate (2), and, on an" changed to "locking plate, and, on an"
82	Change	"locking hook (4)." changed to "locking hook."
83	Deletion	(Figure 1)

Statistics:	
	Count
Insertions	29
Deletions	54
Moved from	0
Moved to	0

Style change	0
Format changed	0
Total changes	83